



## Stationary Concrete Mixing Plant For Sale 100m3/H Automatic Batching Plant

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ100
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity: ≤60m3/h
- Mixer: JS2000 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **concrete mixing plant 100m3/h,  
stationary concrete mixing plant, 100m3/h**



## Product Description

### Bucket type Concrete Mixing Plant 100m<sup>3</sup>/h Stationary Concrete Batching Plant High Efficiency 60m<sup>3</sup>/h Stationary Concrete Batching Plant Concrete Mixing Plant

Flexibility and customization are additional advantages of the HZS60 model. It can be tailored to meet specific project requirements, allowing adjustments in the bucket capacity, ingredient quantities, and overall plant layout. This adaptability makes it suitable for a wide range of construction applications, enhancing efficiency and productivity.

The HZS60 bucket type concrete batching plant is designed with user convenience in mind. It features user-friendly controls and a well-organized layout, making it easy for operators to monitor and control the batching process. Safety features are also integrated to ensure a secure working environment for the operators.

In summary, the HZS60 bucket type concrete batching plant is a reliable and efficient solution for medium-sized construction projects. With its precise measurement, high productivity, and customizable design, it enables the production of consistent and high-quality concrete, meeting the diverse demands of construction applications.

| Model                                    | HZS35 | HZS50  | HZS75  | HZS100 |
|--|-------|--------|--------|--------|
| Production in Theory (m <sup>3</sup> /h) | 35    | 50     | 75     | 100    |
| Mixer Type                               | JS750 | JS1000 | JS1500 | JS2000 |
| Mixing Motor Power (KW)                  | 2×15  | 2×18.5 | 2×30   | 2×37   |
| Cycle time(S)                            | 60    | 60     | 60     | 60     |
| Mixer Discharging Volume(L)              | 750   | 1000   | 1500   | 2000   |
| Maximum Particle Size of Aggregate(mm)   | 60    | 60     | 60     | 80     |
| Batching Volume(L)                       | 1200  | 1600   | 2400   | 3200   |
| Aggregate Species                        | 2-3   | 2-4    | 4      | 4      |
| Aggregate lifting motor power(kw)        | 7.5   | 15     | 18.5   | 22     |
| Discharging Height (m)                   | 4     | 4      | 4      | 4      |
| Installed Capacity(KW)                   | 50    | 70     | 110    | 120    |



#### Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4.The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5.The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair
- 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province