



## Ready Mix On Site Concrete Mixing Plant Companies Stationary Concrete Mixing Station 25m<sup>3</sup> To 240m<sup>3</sup>/H

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ50
- Minimum Order Quantity: 1 set
- Price: USD 11000-15000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity: ≤35m<sup>3</sup>/h
- Mixer: JS750 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **on site concrete mixing plant, concrete mixing plant companies, ready mix concrete batch mixing plant**



### More Images



## Product Description

ISO CE approved stationary concrete mixing station capacity 25m<sup>3</sup> to 240m<sup>3</sup>/h concrete batching plant  
**Bucket type Concrete Mixing Plant 50m<sup>3</sup>/h Concrete Batching Plant**

The HZS75 bucket type concrete batching plant is a versatile and efficient batching plant designed to meet the demands of medium-sized construction projects. It belongs to the family of bucket type batching plants, renowned for their precise measurement and reliable mixing capabilities. The HZS75 model offers a range of features and benefits that make it an ideal choice for construction professionals.

The HZS75 bucket type concrete batching plant is specifically engineered to handle a significant volume of concrete production. It has a capacity to produce 75 cubic meters of concrete per hour, making it suitable for various applications including residential buildings, commercial complexes, and infrastructure projects.

Model	HZS35	HZS50	HZS75	HZS100
Production in Theory (m <sup>3</sup> /h)	35	50	75	100
Mixer Type	JS750	JS1000	JS1500	JS2000
Mixing Motor Power (KW)	2×15	2×18.5	2×30	2×37
Cycle time(S)	60	60	60	60
Mixer Discharging Volume(L)	750	1000	1500	2000
Maximum Particle Size of Aggregate(mm)	60	60	60	80
Batching Volume(L)	1200	1600	2400	3200
Aggregate Species	2-3	2-4	4	4
Aggregate lifting motor power(kw)	7.5	15	18.5	22
Discharging Height (m)	4	4	4	4
Installed Capacity(KW)	50	70	110	120



### Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4.The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5.The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair
- 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse



**Hunan Sunny Intelligent Machinery Co.,LTD.**

 +86 19118921276

 amy@hnsunny.com.cn

 sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province