25 50 60 90 120 180 Mhr Automatic Concrete Batching And Mixing Plant **Fixed**

Basic Information

. Place of Origin: Hunan Brand Name: SUNNY HSZ50 Model Number: Minimum Order Quantity: 1 set

• Price: USD 11000-15000/ SET

Packaging Details: container . Delivery Time: 25-30 days

• Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram

Supply Ability: 20 Set/Sets per Month



Product Specification

• Maaterial: Cement, Crushed Stone, Sands And So On

· Application: Building Works, Construction

Projects, bridges, docks, airport

. Control System: Automatic PLC Control,totally Automatic

• Productivity:

JS750 Twin-shaft Concrete Mixer Mixer:

• Warranty: 12 Months • Condition:

 After-sales Service Engineers Available To Service Machinery Provided:

Overseas, Online Support, Video Technical Support, Field Installation, commissioning And

Training

• Highlight: fixed concrete mixing plant,

concrete plant for mixing,

concrete batching and mixing plant



Product Description

hzs 25 50 60 90 120 180 mhr Concrete Batching Plant Automatic Concrete Mixer Plant Bucket type Concrete Mixing Plant 50m3/h Concrete Batching Plant

Once the mixing process is complete, the concrete is discharged from the mixer into a waiting truck or a concrete pump for transportation to the construction site. The bucket type batching plant can be configured to have multiple discharge points, allowing simultaneous loading of multiple trucks or pumps, which improves productivity and reduces waiting time. Bucket type batching plants are known for their versatility and flexibility. They can be easily customized to meet specific project requirements by adjusting the capacity of the buckets, the number of ingredients, and the overall design of the plant. They are suitable for a wide range of applications, including large-scale infrastructure projects, commercial buildings, and residential construction.

In summary, a bucket type batching plant is a specialized concrete mixing plant that utilizes individual buckets for precise measurement and transfer of ingredients. It offers efficient and accurate batching, ensuring the production of high-quality concrete for construction projects of various sizes and types.

Model	HZS35	HZS50	HZS75	HZS100
Production in Theory (m3/h)	35	50	75	100
Mixer Type	JS750	JS1000	JS1500	JS2000
Mixing Motor Power (KW)	2×15	2×18.5	2×30	2×37
Cycle time(S)	60	60	60	60
Mixer Discharging Volume(L)	750	1000	1500	2000
Maximum Particle Size of Aggregate(mm	60	60	60	80
Batching Volume(L)	1200	1600	2400	3200
Aggregate Species	2-3	2-4	4	4
Aggregate lifting motor power(kw)	7. 5	15	18.5	22
Discharging Height (m)	4	4	4	4
Installed Capacity(KW)	50	70	110	120



Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4. The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5. The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water

与宣介智工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province