



## Cement Concrete Batching Plant China Wet Ready Mix Hzs 50m<sup>3</sup>/H 60m<sup>3</sup>/H 120m<sup>3</sup>/H

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ50
- Minimum Order Quantity: 1 set
- Price: USD 11000-15000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity: ≤35m<sup>3</sup>/h
- Mixer: JS750 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **concrete batching plant,  
cement concrete batching plant,  
concrete batching plant china**



## Product Description

easy installation wet ready mix hzs 50m<sup>3</sup>/h 60m<sup>3</sup>/h 120m<sup>3</sup>/h concrete plant concrete batching plant  
**Bucket type Concrete Mixing Plant 50m<sup>3</sup>/h Concrete Batching Plant**

One of the key advantages of the HZS50 model is its use of individual buckets for ingredient measurement. This ensures accurate proportions of cement, aggregate, water, and additives, resulting in consistent and high-quality concrete. The buckets are equipped with precise measurement systems, such as load cells or volumetric mechanisms, to ensure the exact amount of each ingredient is added to the mix.

The HZS50 bucket type concrete mixing plant incorporates a central mixing unit, which can be a stationary drum mixer, a twin-shaft mixer, or a planetary mixer. These mixers employ advanced technology to thoroughly blend the ingredients, ensuring a homogenous mixture with optimal strength and durability.

Model	HZS35	HZS50	HZS75	HZS100
Production in Theory (m <sup>3</sup> /h)	35	50	75	100
Mixer Type	JS750	JS1000	JS1500	JS2000
Mixing Motor Power (KW)	2×15	2×18.5	2×30	2×37
Cycle time(S)	60	60	60	60
Mixer Discharging Volume(L)	750	1000	1500	2000
Maximum Particle Size of Aggregate(mm)	60	60	60	80
Batching Volume(L)	1200	1600	2400	3200
Aggregate Species	2-3	2-4	4	4
Aggregate lifting motor power(kw)	7.5	15	18.5	22
Discharging Height (m)	4	4	4	4
Installed Capacity(KW)	50	70	110	120



### Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4.The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5.The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair
- 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province