



75m3h Rmc Automatic Ready Mix Plant And Central Mix Plant

Our Product Introduction

for more products please visit us on sunnyconcretebatchingplant.com

Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ75
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity: $\leq 60\text{m}^3/\text{h}$
- Mixer: JS1500 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **ready mix plant and central mix plant,
ready mix plant, rmc ready mix concrete plant**



Product Description

75m3h Automatic Concrete Batching Plant with china factory price

High Efficiency 60m3/h Stationary Concrete Batching Plant Concrete Mixing Plant

Belt Conveyor Type Concrete Batching Plant mainly consists of 5 major systems such as mixer, material weighing system, material conveying system, material storage system and control system and other ancillary facilities. It is equipped with the storage, batching, conveying, stirring, control and other devices of various raw materials required for precast concrete, and various aggregates, powders, admixtures, water, etc. A complete set of equipment for supplying concrete in a concentrated manner than by a mixer.

pecification

| Name of parameter | HZS60 | HZS90 | HZS120 | HZS180 | HZS240 |
|--|----------------|----------------|-----------------|-----------------|-----------------|
| Theoretical productivity | 60 M3/h | 90 M3/h | 120 M3/h | 180 M3/h | 240m³/h |
| Model of mixer | JS1000 | JS1500 | JS2000 | JS3000 | JS4000 |
| Mixing motor power | 2x18.5Kw | 2x30Kw | 2x37Kw | 2x55Kw | 2*75Kw |
| Cycle period | 60s | 60s | 60s | 60s | 60s |
| Volume of mixer | 1000L | 1500L | 2000L | 3000L | 4000L |
| Unloading height | 4.0m | 4.0m | 4.0m | 4.0m | 4.0m |
| Measuring range and precision of aggregate | (600-2000)≤±2% | (700-2400)≤±2% | (1000-3600)≤±2% | (1600-4800)≤±2% | (1600-4800)≤±2% |
| Measuring range and precision of cement | (300-1200)≤±1% | (300-1200)≤±1% | 600-1800)≤±1% | (800-2400)≤±1% | (800-2400)≤±1% |
| Measuring range and precision of coal ash | (200-600)≤±1% | (200-600)≤±1% | (300-900)≤±1% | (400-1200)≤±1% | (400-1200)≤±2% |
| Measuring range and precision of water | 200-600)≤±1% | (200-600)≤±1% | (200-700)≤±1% | (360-1200)≤±1% | (360-1200)≤±1% |
| Measuring range and precision of admixture | 20-60)≤±1% | (20-60)≤±1% | (30-100)≤±1% | (36-120)≤±1% | (36-120)≤±1% |



Features of concrete batching plant:

Mixing Efficiency: The HZS75 model incorporates a central mixing unit, such as a stationary drum mixer, a twin-shaft mixer, or a planetary mixer. These mixers are known for their efficient mixing capabilities, ensuring a thorough blending of ingredients and the production of a homogeneous concrete mixture.

User-Friendly Controls: The HZS75 plant is designed with user convenience in mind. It features user-friendly controls and a well-organized layout, making it easy for operators to monitor and control the batching process. This user-friendly interface enhances operational efficiency and reduces the learning curve for plant operators.

Safety Features: The HZS75 model is equipped with safety features to ensure a secure working environment for the operators. These features may include emergency stop buttons, safety guards, and warning systems, promoting worker safety during the batching process.

Versatility: The HZS75 plant can accommodate various construction applications, making it suitable for medium-sized projects in diverse sectors. Whether it's residential buildings, commercial complexes, or infrastructure projects, the plant's adaptability allows it to meet the demands of different construction scenarios.

Q: What kind of products do you have?

1. Stationary concrete batching plant arranges from HZS25 to HZS180.
2. Mobile concrete batching plant.
3. Concrete mixer machine.
4. Portable drum concrete mixer with diesel engine.
5. Spare parts including screw conveyor and bolted cement silo.

Q: Are you trading company or manufacturer?

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

Q: What are the terms of payment in your formal trade?

A: Normally we can work on T/T term , L/C term and Alibaba Trade Assurance Order Online .

T/T: 30% T/T prepayment , 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.



Hunan Sunny Intelligent Machinery Co.,LTD.



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province