

Hunan Sunny Intelligent Machinery Co., LTD.

sunnyconcretebatchingplant.com

Hunan

SUNNY

Basic Information

Place of Origin:

三力智工

SUNN)

- Brand Name:
- Model Number: H
 Minimum Order Quantity: 1
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- HSZ90 tity: 1 set USD 110000-150000/ SET container 25-30 days L/C, T/T, D/P, Western Union, MoneyGram 20 Set/Sets per Month



Product Specification

- Maaterial:
- Application:
- Control System:
- Productivity:
- Mixer:
- Warranty:
- Condition:
- After-sales Service Provided:
- Highlight:

- Cement, Crushed Stone, Sands And So On Building Works,Construction Projects,bridges,docks,airport Automatic PLC Control,totally Automatic
 - ≤90m3/h
 - JS1500 Twin-shaft Concrete Mixer
 - 12 Months
 - New
 - Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
 - stationary batching plant, concrete batch plant dry vs wet, wet batching



Product Description

HZS90 concrete batching plant concrete mixing station stationary wet mix concrete batching plant install Malaysia HZS90 Manufacturer Concrete Batch Plant concrete batching plant

Belt Conveyor Type Concrete Batching Plant mainly consists of 5 major systems such as mixer, material weighing system, material conveying system, material storage system and control system and other ancillary facilities. It is equipped with the storage, batching, conveying, stirring, control and other devices of various raw materials required for precast concrete, and various aggregates, powders, admixtures, water, etc. A complete set of equipment for supplying concrete in a concentrated manner than by a mixer. pecification

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Features of concrete batching plant:

Control System: The control system of the HZS75 plant can be tailored to meet the project's needs. It can be equipped with advanced automation features, such as computerized control panels, programmable logic controllers (PLCs), and user-friendly interfaces. The control system can be customized to include specific monitoring and data logging capabilities, allowing for efficient operation and quality control.

Auxiliary Equipment: Additional auxiliary equipment can be integrated into the HZS75 plant based on project requirements. This may include cement silos, screw conveyors, water storage tanks, additive dispensers, and admixture systems. The integration of auxiliary equipment can enhance the efficiency and functionality of the batching plant.

Mobility Options: Depending on the project's nature, the HZS75 plant can be customized to offer mobility options. It can be designed as a stationary plant for long-term projects or as a mobile plant mounted on wheels or trailers for projects that require frequent relocation.

A:12 mo	onths warranty	for main par	ts since de	eparture.	On-site	installation,	debugging,	workers	training.	Make	sure the	at your
workers	operate prope	erly and know	/ daily ma	intenance	e well. Q	:What's you	ır delivery tir	ne?				

A:The goods will be delivered in 30-45 days after the 30% of the total amout is paid as deposit, and maybe a little longer if busy in the factory.

B: Generally it is 7-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q. How long do you warranty your concrete batching plant? A:We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

Q: What should I do if I experience a problem on our equipment?

A: You could email us the photos to show what happens or call us, and our service line is available 24/7, and then we will feedback you immediately. Also on-site technician service available as request.

Q.How can we install the plant?

A:Our engineer will make installation drawing before we send the machine, and our engineer will go oversea to guide and train the installation after everything is already set in customer's construction site.

Q: Do you have CE certificate for your concrete batching plant?

A: Yes, we have. It is our patent products, certificated by CE.

등르쳐별도 Hunan Sunny Intelligent Machinery Co.,LTD.					
G	+86 19118921276	amy@hnsunny.com.cn	© sunnyconcretebatchingplant.com		
Cons	struction Machinery Suppor	ting Industrial Park, High-tech	n Zone, Ningxiang City, Hunan Province		