

# 60m3 ready mix concrete batching plant production

# **Basic Information**

. Place of Origin: Hunan Brand Name: SUNNY HSZ60 Model Number: . Minimum Order Quantity: 1 set

• Price: USD 110000-150000/ SET

Packaging Details: container Delivery Time: 25-30 days

Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram

Supply Ability: 20 Set/Sets per Month



# **Product Specification**

Cement, Crushed Stone, Sands And So On Maaterial:

· Application: Building Works, Construction

Projects, bridges, docks, airport

. Control System: Automatic PLC Control,totally Automatic

• Productivity:

JS1000 Twin-shaft Concrete Mixer Mixer:

• Warranty: 12 Months • Condition:

 After-sales Service Engineers Available To Service Machinery Provided:

Overseas, Online Support, Video Technical Support, Field Installation, commissioning And

**Training** 

• Highlight: 60m3 ready mix concrete batching plant,

> 60m3 concrete batching plant, ready mix concrete batching plant



# **Product Description**

#### High Efficiency 60m3/h Stationary Concrete Batching Plant Concrete Mixing Plant

| Name of parameter                            | HZS60              | HZS90          | HZS120              | HZS180              | HZS240              |
|--|--------------------|----------------|---------------------|---------------------|---------------------|
| Theoretical productivity                     | 60 M3/h            | 90 M3/h        | 120 M3/h            | 180 M3/h            | 240m³/h             |
| Model of mixer                               | JS1000             | JS1500         | JS2000              | JS3000              | JS4000              |
| Mixing motor power                           | 2x18.5Kw           | 2x30Kw         | 2x37Kw              | 2x55Kw              | 2*75Kw              |
| Cycle period                                 | 60s                | 60s            | 60s                 | 60s                 | 60s                 |
| Volume of mixer                              | 1000L              | 1500L          | 2000L               | 3000L               | 4000L               |
| Unloading height                             | 4.0m               | 4.0m           | 4.0m                | 4.0m                | 4.0m                |
| Measuring range and precision of aggregate   | (600-<br>2000)≤±2% | (700-2400)≤±2% | (1000-<br>3600)≤±2% | (1600-<br>4800)≤±2% | (1600-<br>4800)≤±2% |
| Measuring range and precision of cement      | (300-<br>1200)≤±1% | (300-1200)≤±1% | 600-<br>1800)≤±1%   | (800-<br>2400)≤±1%  | (800-<br>2400)≤±1%  |
| Measuring range and<br>precision of coal ash | (200-<br>600)≤±1%  | (200-600)≤±1%  | (300-<br>900)≤±1%   | (400-<br>1200)≤±1%  | (400-<br>1200)≤±2%  |
| Measuring range and precision of water       | 200-600)≤±1%       | (200-600)≤±1%  | (200-<br>700)≤±1%   | (360-<br>1200)≤±1%  | (360-<br>1200)≤±1%  |
| Measuring range and precision of admixture   | 20-60)≤±1%         | (20-60)≤±1%    | (30-100)≤±1%        | (36-120)≤±1%        | (36-120)≤±1%        |



# Features of concrete batching plant:

- 1.lt adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2. Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4. The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5. The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse

## Q: What kind of products do you have?

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.

## Q: Are you trading company or manufacturer?

- A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!
- Q: What are the terms of payment in your formal trade?

A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online . T/T: 30%T/T prepayment , 70% paid by T/T before delivery. L/C: 100% irrevocable L/C at sight.

# 与宣介智工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276

amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province