

60 cubic meters/hour mobile concrete mixing plant

Basic Information

- Place of Origin:
- Brand Name:
- HSZ60 Model Number: 1 set
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- L/C, T/T, D/P, Western Union, MoneyGram 20 Set/Sets per Month

USD 110000-150000/ SET

Hunan

SUNNY

container

25-30 days



Product Specification

- Maaterial:
- Application:
- Control System:
- Productivity:
- Mixer:
- Warranty:
- Condition:
- After-sales Service Provided:
- Highlight:

- Cement, Crushed Stone, Sands And So On Building Works, Construction Projects, bridges, docks, airport
 - Automatic PLC Control,totally Automatic
 - ≤60m3/h
 - JS1000 Twin-shaft Concrete Mixer
 - 12 Months
 - New
 - Engineers Available To Service Machinery Overseas, Online Support, Video Technical Support, Field Installation, commissioning And Training
 - mobile concrete mixing plant, mobile concrete mixer plant, mobile concrete batching plant



More Images



Our Product Introduction

High Efficiency 60m3/h Stationary Concrete Batching Plant Concrete Mixing Plant

Belt conveyor concrete batching plant is designed to fulfill a variety of applications.

It is widely used on construction projects like roads, bridges, dam, airport, ports and any other projects.

The concrete batching plant is a concrete mixing equipment developed according to the actual needs of users who need frequent transitions, short construction period and long construction line. So it is the best choice for the project of multiple working sites with moderate concrete demand.

The capacity is customized from 25 - 270m3/h.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Q. How long do you warranty your concrete batching plant?

A:We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

Q: What should I do if I experience a problem on our equipment?

A: You could email us the photos to show what happens or call us, and our service line is available 24/7, and then we will feedback you immediately. Also on-site technician service available as request.

Q.How can we install the plant?

A:Our engineer will make installation drawing before we send the machine, and our engineer will go oversea to guide and train the installation after everything is already set in customer's construction site.

Q: Do you have CE certificate for your concrete batching plant?

A: Yes, we have. It is our patent products, certificated by CE.

등르히명프 Hunan Sunny Intelligent Machinery Co.,LTD.					
+8	36 19118921276	amy@hnsunny.com.cn	sunnyconcretebatchingplant.com		
Construe	ction Machinery Supportin	g Industrial Park, High-tech Zor	ne, Ningxiang City, Hunan Province		