

60 cubic meter/hour Concrete Mixing Plant China High Quality Three-year Warranty

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: HS
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:
- Payment Terms:
- Supply Ability:
- HSZ60 1 set USD 110000-150000/ SET container 25-30 days L/C, T/T, D/P, Western Union, MoneyGram 20 Set/Sets per Month



Product Specification

- Maaterial:
- Application:
- Control System:
- Productivity:
- Mixer:
- Warranty:
- Condition:
- After-sales Service Provided:
- Highlight:

- Cement, Crushed Stone, Sands And So On Building Works,Construction Projects,bridges,docks,airport Automatic PLC Control,totally Automatic ≤60m3/h
- JS1000 Twin-shaft Concrete Mixer
- 12 Months

Hunan

SUNNY

- New
- Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
 - China Concrete Mixing Plant, Three-year Warranty Concrete Mixing Plant



Our Product Introduction

High Efficiency 60m3/h Stationary Concrete Batching Plant Concrete Mixing Plant

The Belt Conveyor Type Concrete Batching Plant primarily consists of five major systems: the mixer, material weighing system, material conveying system, material storage system, and control system, as well as other ancillary facilities. This plant is equipped with storage, batching, conveying, stirring, control, and other devices for various raw materials required for precast concrete production including aggregates, powders, admixtures, water etc. It provides a complete set of equipment for supplying concrete in a concentrated manner rather than by using a mixer.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Q: What's your after-sale service?

A:12 months warranty for main parts since departure. On-site installation, debugging, workers training. Make sure that your workers operate properly and know daily maintenance well. Q:What's your delivery time?

A:The goods will be delivered in 30-45 days after the 30% of the total amout is paid as deposit, and maybe a little longer if busy in the factory.

B: Generally it is 7-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q. How long do you warranty your concrete batching plant?

A:We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

Q.How can we install the plant?

A:Our engineer will make installation drawing before we send the machine, and our engineer will go oversea to guide and train the installation after everything is already set in customer's construction site.

Q: Do you have CE certificate for your concrete batching plant?

for more products please visit us on sunnyconcretebatchingplant.com

A: Yes, we have. It is our patent products, certificated by CE.

