

80TPH Stationary Batch Mix Asphalt Plant Mixing Machinery **Manufacturers**

Basic Information

. Place of Origin: Hunan Brand Name: Sunny LB1000 Model Number: Minimum Order Quantity: 1 set

• Price: USD250,000-50,0000 PER SET

FULL CONTAINER Packaging Details:

. Delivery Time: 20-35DAYS

• Payment Terms: L/C, T/T, Western Union, MoneyGram

Supply Ability: 50 SET PER MONTH



Product Specification

· Warranty: 1 Year

After-sales Service Engineers Available To Service Machinery Provided:

Overseas

Asphalt Mixing Plant Type:

· Application: High-grade Asphalt Road

Paving, Construction Areas, Road Construction Asphalt Plant

. Control System: PLC+colorized Touching Screen

. Highlight: asphalt mixing plant manufacturers,

asphalt mixing plant machinery,





Product Description

80TPH Stationary Batch Mix Asphalt Plant On Sale

The asphalt plant adopts modular design, easy installation and maintenance, fast removal and transportation. It is mainly used for the construction of highways, highways, municipal roads, airports and ports.

- 1. Modular design and integrity steel base, reasonable layout, demolition, transportation and installation faster and easier.
- 2. Superior drying drum plate design, and independent research and development of advanced combustion heating technology to improve efficiency, reduce energy consumption.
- 3. Plus high hot aggregate bin design to increase the stock of hot aggregate storage, to increase producing capacity.
- 4. Automatic/manual control system with failure self-diagnosis program, simple and safe.
- 5. Core components adopt international famous brand products, such as Siemens electrical components, EBICO burners, Switzerland METTLER TOLEDO weighing sensor, etc., reduces the failure rate and prolong its service life.

These are some of the typical characteristics of an 80tph asphalt mixer plant. However, it's important to note that specific features and specifications may vary depending on the manufacturer and model. It is recommended to refer to the product catalogs or directly contact asphalt plant manufacturers for detailed information on a particular 80tph asphalt mixer plant.

									<u> </u>
Model	Rated Output	Capacit v	Dust removal effect	ľ	consumpti	Fire coal		Capacity	Dryer Size
ľ			≤20 mg/Nm³	264k w	5.5-7 kg/t	10kg/t	l±5‰	4×0.5111	φ1.75m×7 m
1*	l	1300kg		264k w			±2.5%		φ1.75m×7 m
LB150 0	120t/h	1500kg		325k w				4×0.5111°	φ1.75m×7 m
LB200 0	160t/h	2000kg		483k w			asphalt; ±2.5‰	DX IZIII°	φ1.75m×7 m





与三力智工 Hunan Sunny Intelligent Machinery Co.,LTD.



+86 19118921276





sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province