

# **Processing Asphalt Plant Manufacturers Supplier 120TPH**

### **Basic Information**

. Place of Origin: Hunan Brand Name: Sunny LB1500 Model Number: . Minimum Order Quantity: 1 set

• Price: USD250,000-50,0000 PER SET

**FULL CONTAINER** Packaging Details:

. Delivery Time: 20-35DAYS

• Payment Terms: L/C, T/T, Western Union, MoneyGram

Supply Ability: 50 SET PER MONTH



## **Product Specification**

· Warranty: 1 Year

After-sales Service Engineers Available To Service Machinery Provided:

Overseas

Asphalt Mixing Plant Type:

· Application: High-grade Asphalt Road

Paving, Construction Areas, Road Construction Asphalt Plant

PLC+colorized Touching Screen . Control System:

• Highlight: asphalt plant manufacturers,

asphalt plant supplier, asphalt processing plant



#### **Product Description**

asphalt batching plant Capacity 120TPH Asphalt Batch Mixer Plant


The LB1500 asphalt plant is a highly efficient and reliable asphalt mixing plant designed for large-scale asphalt production. It is part of the LB series of asphalt plants, known for their advanced technology and superior performance. The LB2000 model specifically offers a range of features and capabilities that make it a popular choice among asphalt producers.


The LB1500 asphalt plant is designed to handle a substantial volume of asphalt production. It has a production capacity of 160 tons per hour, making it suitable for medium to large-scale projects such as highways, airports, and major road construction. One of the key features of the LB2000 model is its precise and efficient mixing system. It utilizes a twin-shaft paddle mixer, which ensures thorough blending of aggregates, filler, and bitumen. This results in a high-quality asphalt mixture with excellent uniformity and consistency, meeting the required specifications for road surfaces.

Energy Efficiency and Environmental Friendliness: The LB1500 asphalt plant incorporates advanced dust collection systems that effectively capture and filter out dust and particulate matter. This ensures compliance with environmental regulations and promotes a clean and safe working environment. The plant's energy-efficient design helps reduce energy consumption and minimize environmental impact.

User-Friendly Design: The LB1500 model features user-friendly controls and a well-organized layout, making it easy for operators to monitor and control the asphalt production process. The intuitive interface and clear display allow for efficient operation and quick adjustments as needed. Safety features are also integrated to ensure operator well-being. Customization Options: The LB1500 asphalt plant offers flexibility in terms of customization. It can be tailored to meet specific project requirements, allowing adjustments in the configuration, layout, and auxiliary equipment. This customization capability ensures that the plant can efficiently handle diverse asphalt production needs and adapt to different project scenarios. Durability and Reliability: The LB1500 model is built with high-quality materials and components, ensuring its durability and long service life. It is designed to withstand harsh operating conditions, delivering reliable performance even in demanding environments.

Model	Rated Output	Capacit v	Dust removal effect	ľ	Fuel consumpti on	Ι.		Capacity	Dryer Size
LB100 0				264k w		10kg/t	aggregate; ±5‰	4×0.3111°	φ1.75m×7 m
		1300kg		264k w			powder; ±2.5‰	4×0.5111°	φ1.75m×7 m
LB150 0	120t/h	1500kg	≤20 mg/Nm³	325k w				4×0.5111°	φ1.75m×7 m
LB200 0	160t/h	2000kg		483k w			asphalt; ±2.5‰	DX IZIII°	φ1.75m×7 m





# 与宣介管工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276



amy@hnsunny.com.cn sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province