



Portable Concrete Batching Plant Mobile Ready Mix

Basic Information

- Place of Origin: Hunan
- Brand Name: Sunny
- Model Number: YHZ60
- Minimum Order Quantity: 1 set
- Price: USD40000-60000 PER SET
- Packaging Details: FULL CONTAINER
- Delivery Time: 20-35DAYS
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50 SET PER MONTH



Product Specification

- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Field Installation,commissioning And Training,Field Maintenance And Repair Service
- Power Type: Electric
- Color: Customer Required
- Capacity: 60 M3/h
- Type: Twin Horizontal Shaft
- Productivity: 60m3/hr
- Application: Building Works,Construction Projects
- Control System: Automatic PLC Control,Siemens
- Mixer: Twin Shaft Mixer JS1000
- Highlight: portable concrete batching plant,
portable concrete batch plant,
portable concrete plant



Product Description

discount portable mixing plant model YHZ60 mobile concrete batching plant price Mobile concrete batching plant

The YHZS60 concrete batching plant is a versatile and efficient mobile concrete mixing plant designed for medium to large-scale construction projects. It combines mobility, flexibility, and advanced features to deliver high-quality concrete on-site. With its robust construction and user-friendly design, the YHZS60 is a popular choice among contractors and construction companies.

The YHZS60 concrete batching plant incorporates various components and features that contribute to its performance and productivity:

Mobile Design: The YHZS60 is a mobile batching plant, meaning it is mounted on a trailer or a chassis with wheels. This mobility enables easy transportation, quick installation, and relocation to different construction sites. It offers flexibility and adaptability, making it suitable for projects with changing requirements or remote locations.

Compact Structure: Despite its mobility, the YHZS60 maintains a compact and space-efficient structure. It is designed to occupy a relatively small footprint, making it suitable for projects with limited space or when multiple batching plants need to be installed in close proximity.

Aggregate Batching System: The YHZS60 is equipped with multiple aggregate bins that store different types of aggregates, such as sand, gravel, and crushed stone. These bins have individual compartments and are equipped with a weighing system to ensure accurate batching of aggregates.



Model	HZS25	HZS35	HZS50	HZS60	HZS75	HZS90	HZS120	HZS150	HZS180
Discharging Capacity (L)	500	750	1000	1000	1500	1500	2000	2500	3000
Charging Capacity(L)	800	1200	1600	1600	2400	2400	3200	4000	4800
Maximum Productivity(m³/h)	25	35	50	60	75	90	120	150	180
Charging Model	Skip Hopper	Skip Hopper	Skip Hopper	belt conveyor	Skip Hopper	belt conveyor	belt conveyor	belt conveyor	belt conveyor
Standard Discharging Height(m)	1.5~3.8	2~4.2	4.2	4.2	4.2	4.2	3.8~4.5	4.5	4.5
Number of Species of Aggregate	2~3	2~3	3~4	3~4	3~4	4	4	4	4
Maximum Aggregate Size(mm)	≤60mm	≤80mm	≤80mm	≤80mm	≤80mm	≤80mm	≤120mm	≤150mm	≤180mm
Cement/Powder Silo Capacity(set)	1×100 T	2×100 T	3×100T	3×100T	3×100T	3×100T	4×100T or 200T	4×200T	4×200T
Mixing Cycle Time(s)	72	60	60	60	60	60	60	30	30

Total Installed Capacity(kw)	60	78.5	111	145	110	198.06	210	230	288
------------------------------	----	------	-----	-----	-----	--------	-----	-----	-----



Hunan Sunny Intelligent Machinery Co.,LTD.



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province