

## 42 Meter 52m 56m 37m-69m Truck Mounted Concrete Pump Truck With BENZ ISUZU ZOOMLION

## **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- USD40000-70000 PER SET 20-35DAYS

Hunan

Sany

1 set

- Terms: L/C, T/T
  - 50 SET PER MONTH



## **Product Specification**

Highlight:

concrete pump 56m, concrete pump 52m, concrete pump 42 meter



## **Product Description**

ZOOMLION used 37m-69m truck mounted concere Pump truck with BENZ ISUZU

Slewing Range: The concrete pump truck's boom can rotate 360 degrees, providing maximum flexibility in positioning and placing concrete. The 37M pump truck's slewing mechanism enables smooth and precise rotation, allowing for efficient concrete placement without the need for extensive truck movement.

Control System: The 37M concrete pump truck is equipped with a sophisticated control system that allows operators to accurately control boom movements, pumping parameters, and other functions. The user-friendly control interface offers real-time monitoring, diagnostics, and feedback, ensuring safe and precise operation.

Stability and Safety: The Zoomlion 37M concrete pump truck prioritizes stability and safety. It features robust outriggers that provide excellent stability during operation, even on uneven terrain. Safety features such as boom anti-vibration technology, hydraulic overload protection, and emergency stop systems are incorporated to enhance operator safety and prevent accidents.

Power Source: The 37M concrete pump truck is typically powered by a high-performance diesel engine. The engine provides reliable power to drive the pumping system, boom movements, and other hydraulic functions, ensuring optimal performance and energy efficiency.





Truck-mounted Concrete Pump			
Vertical Reach	Output	Pressure	Models
24-36m	100 - 150m³/h	6 - 6.6MPa	SYG5210THB 25C-8(SZ-EU) / SYG5210THB 25C-8(SZ-EU) / SYM5180THBES 30C-8 / SYG5210THB 30V8(SZ-AUS) / SYG5180THB 300C-8(SZ-IN) / SYG5181THB 30C-8(SZ-IDN)
37m	48 - 160m³/h	6 - 13MPa	SYM5230THB 370C-10 / SYG5231THBCS 370C-10 / SYG5231THBCS 370C-10(R) / SYG5232THBES 370C- 10(R) / SYG5260THB 370C-10 / SYG5261THBES 370C- 10 /
38-48m	120 - 200m³/h	7 - 12MPa	SYG5270THB 380C-10(SZ-AM) / SYG5280THB 38(SZ- AUS) / SYG5280THB 380C-10(SZ-IS) / SYG5260THB 390C-10 / SYG5310THBES 430C-10 / SYG5370THB 430C-10(SZ-IS) /
49-55m	120 - 200m³/h	7 - 12MPa	SYG5340THB 490C-10 / SYG5341THB 490C-10 / SYG5341THB 490C-10(R) / SYG5342THB 490C-10(R) / SYG5350THBCB 490C-10 / SYG5370THBES 490C-10 / SYG5371THBCB 490C-10 /
56-60m	120 - 200m³/h	7 - 12MPa	SYG5441THBCB 560C-10 / SYG5443THBCS 560C-10 / SYG5443THBCS 560C-10(R) / SYG5445THBES 560C- 10(R) / SYG5445THBES 560C-10 / SYG5450THB 56(SZ-EU) /
over 60m	120 - 200m³/h	8.3 - 12MPa	SYM5502THB 620C-10A / SYG5570THB 62(SZ-EU) / SYM5525THB 650C-10 / SYG5590THB 67(SZ-EU) / SYM5590THB 680C-10(SZ-AM)

SUNNY Hunan Sunny Intelligent Machinery Co.,LTD.

**&** +86 19118921276

amy@hnsunny.com.cn (@) sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province