



## HZS35 HZS75 Concrete Mix Plant 35M3/H 75M3/H Hopper Type Concrete Mixing Station

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ35
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity:  $\leq 60\text{m}^3/\text{h}$
- Mixer: JS1500 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **Concrete Mix Plant 35M3/H, 75M3/H Concrete Mixing Station, Hopper Type Concrete Mixing Station**



### More Images



## Product Description

### Advantages of HZS35 Bucket Type Mixing Plant

**Efficiency:** The bucket elevator and screw conveyor ensure smooth and continuous material flow, maximizing production efficiency.

**Accuracy:** The batching machine's precise measurements guarantee consistent concrete quality.

**Reliability:** The robust construction and high-quality components contribute to the plant's long-term reliability.

**Flexibility:** The HZS35 can be adapted to various project requirements by adjusting the production capacity and ingredient proportions.

**Compact Design:** Its relatively small footprint makes it suitable for both fixed and mobile installations.

### Applications of HZS35 Bucket Type Mixing Plant

The HZS35 is commonly used in the following construction projects:

**Residential and commercial buildings**

**Infrastructure projects (roads, bridges, etc.)**

**Industrial facilities**

**Precast concrete manufacturing**

In conclusion, the HZS35 bucket type mixing plant offers a reliable and efficient solution for medium-sized concrete production needs. Its compact design, accurate batching, and versatile applications make it a popular choice among contractors and construction companies.

| Name of parameter                          | HZS60          | HZS90          | HZS120          | HZS180          | HZS240          |
|--|----------------|----------------|-----------------|-----------------|-----------------|
| Theoretical productivity                   | 60 M3/h        | 90 M3/h        | 120 M3/h        | 180 M3/h        | 240m³/h         |
| Model of mixer                             | JS1000         | JS1500         | JS2000          | JS3000          | JS4000          |
| Mixing motor power                         | 2x18.5Kw       | 2x30Kw         | 2x37Kw          | 2x55Kw          | 2*75Kw          |
| Cycle period                               | 60s            | 60s            | 60s             | 60s             | 60s             |
| Volume of mixer                            | 1000L          | 1500L          | 2000L           | 3000L           | 4000L           |
| Unloading height                           | 4.0m           | 4.0m           | 4.0m            | 4.0m            | 4.0m            |
| Measuring range and precision of aggregate | (600-2000)≤±2% | (700-2400)≤±2% | (1000-3600)≤±2% | (1600-4800)≤±2% | (1600-4800)≤±2% |
| Measuring range and precision of cement    | (300-1200)≤±1% | (300-1200)≤±1% | 600-1800)≤±1%   | (800-2400)≤±1%  | (800-2400)≤±1%  |
| Measuring range and precision of coal ash  | (200-600)≤±1%  | (200-600)≤±1%  | (300-900)≤±1%   | (400-1200)≤±1%  | (400-1200)≤±2%  |
| Measuring range and precision of water     | 200-600)≤±1%   | (200-600)≤±1%  | (200-700)≤±1%   | (360-1200)≤±1%  | (360-1200)≤±1%  |
| Measuring range and precision of admixture | 20-60)≤±1%     | (20-60)≤±1%    | (30-100)≤±1%    | (36-120)≤±1%    | (36-120)≤±1%    |



### Q: What's your after-sale service?

A:12 months warranty for main parts since departure. On-site installation, debugging, workers training. Make sure that your workers operate properly and know daily maintenance well. Q:What's your delivery time?

A:The goods will be delivered in 30-45 days after the 30% of the total amount is paid as deposit, and maybe a little longer if

busy in the factory.

B: Generally it is 7-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

**Q: How long do you warranty your concrete batching plant?**

A: We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

**Q: What should I do if I experience a problem on our equipment?**

A: You could email us the photos to show what happens or call us, and our service line is available 24/7, and then we will feedback you immediately. Also on-site technician service available as request.

**Q: How can we install the plant?**

A: Our engineer will make installation drawing before we send the machine, and our engineer will go oversea to guide and train the installation after everything is already set in customer's construction site.

**Q: Do you have CE certificate for your concrete batching plant?**

A: Yes, we have. It is our patent products, certificated by CE.



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province