

Hunan

SUNNY

Construction Equipment Concrete Plants HZS50 Quickly-installed Concrete Mixing Plant

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: HS2
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:
- Payment Terms:
- Supply Ability:





Product Specification

Maaterial: Cement, Crushed Stone, Sands And So On • Application: Building Works, Construction Projects, bridges, docks, airport Automatic PLC Control,totally Automatic Control System: Productivity: ≤60m3/h JS1500 Twin-shaft Concrete Mixer • Mixer: • Warranty: 12 Months • Condition: New After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical Support, Field Installation, commissioning And Training • Highlight: **Construction Equipment Concrete Plants**, Construction concrete mixing plant, HZS50 quickly-installed concrete mixing plant

Product Description

Applications:

Commercial construction: Buildings, shopping malls, and office complexes **Infrastructure projects:** Roads, bridges, tunnels, and dams

Precast concrete production: Blocks, slabs, and other prefabricated elements

Ready-mix concrete plants: Supplying concrete to various construction sites

Applications

The HZS50 bucket type batching plant is ideal for medium-sized construction projects, including residential buildings, commercial complexes, roads, and bridges. Its ability to produce high-quality concrete quickly and efficiently makes it a popular choice among construction professionals.

manner rather than by using a mixer.

| Name of parameter | HZS60 | HZS90 | HZS120 | HZS180 | HZS240 |
|--|--------------------|----------------|---------------------|---------------------|---------------------|
| Theoretical productivity | 60 M3/h | 90 M3/h | 120 M3/h | 180 M3/h | 240m³/h |
| Model of mixer | JS1000 | JS1500 | JS2000 | JS3000 | JS4000 |
| Mixing motor power | 2x18.5Kw | 2x30Kw | 2x37Kw | 2x55Kw | 2*75Kw |
| Cycle period | 60s | 60s | 60s | 60s | 60s |
| Volume of mixer | 1000L | 1500L | 2000L | 3000L | 4000L |
| Unloading height | 4.0m | 4.0m | 4.0m | 4.0m | 4.0m |
| Measuring range and precision of aggregate | (600- 2000)≤±2% | (700-2400)≤±2% | (1000- 3600)≤±2% | (1600- 4800)≤±2% | (1600- 4800)≤±2% |
| Measuring range and precision of cement | (300- 1200)≤±1% | (300-1200)≤±1% | 600- 1800)≤±1% | (800- 2400)≤±1% | (800- 2400)≤±1% |
| Measuring range and precision of coal ash | (200- 600)≤±1% | (200-600)≤±1% | (300- 900)≤±1% | (400- 1200)≤±1% | (400- 1200)≤±2% |
| Measuring range and precision of water | 200-600)≤±1% | (200-600)≤±1% | (200- 700)≤±1% | (360- 1200)≤±1% | (360- 1200)≤±1% |
| Measuring range and precision of admixture | 20-60)≤±1% | (20-60)≤±1% | (30-100)≤±1% | (36-120)≤±1% | (36-120)≤±1% |



Q: What kind of products do you have?

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.
- Q: Are you trading company or manufacturer?
- A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it! **Q: What are the terms of payment in your formal trade?**
- A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online .
- T/T: 30%T/T prepayment , 70% paid by T/T before delivery.
- L/C: 100% irrevocable L/C at sight.

for more products please visit us on sunnyconcretebatchingplant.com

| SENTY Hunan Sunny Intelligent Machinery Co.,LTD. | | | | |
|--|--|--|--|--|
| | +86 19118921276 amy@hnsunny.com.cn sunnyconcretebatchingplant.com | | | |