




## Fully Automatic Concrete Mixing Plant Hzs60 Low Cost Professional Factory Superior

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ60
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity:  $\leq 60\text{m}^3/\text{h}$
- Mixer: JS1000 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **Professional Concrete Mixing Plant,  
Low Cost Concrete Mixing Plant,  
Fully Automatic Concrete Mixing Plant**



### More Images



## Product Description

### High Efficiency 60m<sup>3</sup>/h Stationary Concrete Batching Plant Concrete Mixing Plant High Efficiency 60m<sup>3</sup>/h Stationary Concrete Batching Plant Concrete Mixing Plant

Concrete batcher can be designed as underground, partially underground or fully-above ground, 3-6 hoppers are pneumatically controlled by computer with fast and accurate instruct, whole job can be done in separate or accumulative models;

Aggregate belt conveyor is truss-framed for easy assembly, inclination angle is normally less than 20 degrees, however, it can be up to 45° by adopting through(groovy) belt when the ground area is limited for the ready mixed concrete batching plants;

#### Applications:

**Infrastructure projects:** Highways, bridges, tunnels, and dams

**Commercial buildings:** Offices, shopping malls, and hotels

**Industrial facilities:** Factories, warehouses, and power plants

**Residential construction:** Large-scale housing developments

In conclusion, the HZS60 concrete mixing plant is a versatile and powerful machine that plays a crucial role in modern construction. Its ability to produce high-quality concrete efficiently and reliably makes it a preferred choice for a wide range of projects.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M <sup>3</sup> /h	90 M <sup>3</sup> /h	120 M <sup>3</sup> /h	180 M <sup>3</sup> /h	240m <sup>3</sup> /h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600-2000)≤±2%	(700-2400)≤±2%	(1000-3600)≤±2%	(1600-4800)≤±2%	(1600-4800)≤±2%
Measuring range and precision of cement	(300-1200)≤±1%	(300-1200)≤±1%	600-1800)≤±1%	(800-2400)≤±1%	(800-2400)≤±1%
Measuring range and precision of coal ash	(200-600)≤±1%	(200-600)≤±1%	(300-900)≤±1%	(400-1200)≤±1%	(400-1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200-700)≤±1%	(360-1200)≤±1%	(360-1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



#### Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4.The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and

strong stability.

5.The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.

6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.

7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province