



Ready Mix Concrete Batching Plant Construction Projects Concrete Mix Plant Hzs180

Our Product Introduction

for more products please visit us on sunnyconcretebatchingplant.com

Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ180
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C,T/T,D/P,Western Union,MoneyGram
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity: $\leq 180\text{m}^3/\text{h}$
- Mixer: JS3000 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **Construction Projects Concrete Mix Plant, Concrete Mix Concrete Batching Plant, Ready Mix Concrete Batching Plant**



More Images



Product Description

HZS180 Central beton factory full automatic concrete plant 50-120 m³/h wet mix beton framework concrete batching plant p
The HZS180 batching plant is a high-performance, large-capacity concrete mixing plant designed for efficient production of high-quality ready-mixed concrete. It is equipped with a range of advanced features that ensure smooth and reliable operation in large-scale construction projects. Here are the key details:

Key Features of the HZS180 Batching Plant:

Production Capacity:

The HZS180 can produce up to 180 cubic meters of concrete per hour, making it ideal for large-scale projects that require high output.

High Mixing Efficiency:

It features a twin-shaft compulsory mixer that ensures fast, uniform, and high-quality mixing of concrete. The mixing capacity is designed to meet the needs of high-intensity work environments.

Precise Control System:

The plant is equipped with a fully automated control system, allowing for accurate monitoring and control of all production processes. It ensures the right mix ratio, precise ingredient weighing, and consistent quality in the final product.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M ³ /h	90 M ³ /h	120 M ³ /h	180 M ³ /h	240m ³ /h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600-2000)≤±2%	(700-2400)≤±2%	(1000-3600)≤±2%	(1600-4800)≤±2%	(1600-4800)≤±2%
Measuring range and precision of cement	(300-1200)≤±1%	(300-1200)≤±1%	(600-1800)≤±1%	(800-2400)≤±1%	(800-2400)≤±1%
Measuring range and precision of coal ash	(200-600)≤±1%	(200-600)≤±1%	(300-900)≤±1%	(400-1200)≤±1%	(400-1200)≤±2%
Measuring range and precision of water	(200-600)≤±1%	(200-600)≤±1%	(200-700)≤±1%	(360-1200)≤±1%	(360-1200)≤±1%
Measuring range and precision of admixture	(20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Features of concrete batching plant:

High Production Capacity: The HZS180 concrete mixing plant has a theoretical production capacity of 180 cubic meters per

hour. This high capacity allows for efficient and continuous production of large volumes of concrete, ensuring timely completion of demanding construction projects.

Advanced Mixing System: The plant is equipped with a twin-shaft concrete mixer, which ensures thorough and efficient mixing of aggregates, cement, water, and additives. The twin-shaft mixer operates at a high speed, delivering a homogeneous mixture with excellent consistency and quality.

Precise Weighing and Dosing: The HZS180 batching plant utilizes advanced weighing systems for accurate measurement and dosing of materials. It includes precision sensors and load cells that ensure precise weighing of aggregates, cement, water, and additives. This precise control of material ratios results in consistent and high-quality concrete mixes.

Modular Design and Easy Installation: The HZS180 batching plant features a modular design, which simplifies its installation, transportation, and relocation. The plant consists of multiple modular units that can be easily assembled and disassembled, reducing setup time and allowing for efficient deployment to different job sites.

Q: What's your after-sale service?

A: 12 months warranty for main parts since departure. On-site installation, debugging, workers training. Make sure that your workers operate properly and know daily maintenance well. Q: What's your delivery time?

A: The goods will be delivered in 30-45 days after the 30% of the total amount is paid as deposit, and maybe a little longer if busy in the factory.

B: Generally it is 7-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q. How long do you warranty your concrete batching plant?

A: We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

Q: What should I do if I experience a problem on our equipment?

A: You could email us the photos to show what happens or call us, and our service line is available 24/7, and then we will feedback you immediately. Also on-site technician service available as request.

Q. How can we install the plant?

A: Our engineer will make installation drawing before we send the machine, and our engineer will go overseas to guide and train the installation after everything is already set in customer's construction site.

Q: Do you have CE certificate for your concrete batching plant?

A: Yes, we have. It is our patent products, certificated by CE.



Hunan Sunny Intelligent Machinery Co.,LTD.



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province