

HZS180 Cement Mixing Station with Advanced Control System and JS3000 Twin-shaft Concrete Mixer

Basic Information

. Place of Origin: Hunan Brand Name: SUNNY HSZ180 Model Number: . Minimum Order Quantity: 1 set

• Price: USD 110000-150000/ SET

Packaging Details: container Delivery Time: 25-30 days

Payment Terms: L/C,T/T,D/P,Western Union,MoneyGram

Supply Ability: 20 Set/Sets per Month



Product Specification

Maaterial: Cement, Crushed Stone, Sands And So On

· Application: Building Works, Construction

Projects, bridges, docks, airport

. Control System: Automatic PLC Control,totally Automatic

• Productivity:

JS3000 Twin-shaft Concrete Mixer Mixer:

· Warranty: 12 Months • Condition:

 After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical

Support, Field Installation, commissioning And

Training

. Highlight: **HZS180 Cement Mixing Station,**

Advanced Control System Cement Mixing

Station

, JS3000 Twin-shaft Concrete Mixer



Product Description

HZS180 oncrete Plant Mixer Machine Cement Silo hzs 180 cbm Concrete Batching Wet Mix Concrete Batch Plant HZS180 Manufacturer Concrete Batch Plant concrete batching plant

Energy Efficient: Designed with energy-saving features and optimized processes, it reduces energy consumption and operational costs without compromising on performance.

Durable Construction: Built with high-quality steel and reinforced components, the HZS180 is designed to withstand harsh environmental conditions, ensuring long-lasting performance and reliability.

Environmental Compliance: The plant is equipped with advanced dust collection and noise reduction systems, making it suitable for urban and environmentally sensitive construction sites.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/ h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤&plusm n;2%	(700- 2400)≤± 2%	(1000- 3600)≤&plusm n;2%	(1600- 4800)≤&plusm n;2%	(1600- 4800)≤+ mn;2%
Measuring range and precision of cement	(300- 1200)≤&plusm n;1%	(300- 1200)≤± 1%	600- 1800)≤&plusm n;1%	(800- 2400)≤&plusm n;1%	(800- 2400)≤+ mn;1%
Measuring range and precision of coal ash	(200- 600)≤± 1%	(200- 600)≤±1 %	(300- 900)≤± ;1%	(400- 1200)≤&plusm n;1%	(400- 1200)≤+ mn;2%
Measuring range and precision of water	200- 600)≤± 1%	(200- 600)≤±1 %	(200- 700)≤± ;1%	(360- 1200)≤&plusm n;1%	(360- 1200)≤+ mn;1%
Measuring range and precision of admixture	20- 60)≤±1 %	(20- 60)≤±1%	(30- 100)≤± ;1%	(36- 120)≤± ;1%	(36- 120)≤&plusm n;1%



Q: What kind of products do you have?

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.

Q: Are you trading company or manufacturer?

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

Q: What are the terms of payment in your formal trade?

A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online .

T/T: 30%T/T prepayment, 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.

与三方智工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province