



## Hzs180 Concrete Batching And Mixing Equipment 180m3/H Ready Mix Concrete Equipment

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ180
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C,T/T,D/P,Western Union,MoneyGram
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity:  $\leq 180\text{m}^3/\text{h}$
- Mixer: JS3000 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **Concrete Batching And Mixing Equipment, Ready Mix Concrete Equipment, 180m3/H Ready Mix Concrete Equipment**



### More Images



## Product Description

HZS180 oncrete Plant Mixer Machine Cement Silo hzs 180 cbm Concrete Batching Wet Mix Concrete Batch Plant  
**HZS180 Manufacturer Concrete Batch Plant concrete batching plant**

The **HZS180 Ready-Mix Batching Plant** is a high-performance, large-capacity concrete production facility specifically designed for producing ready-mix concrete. It is widely used in commercial concrete production, large-scale construction projects, and infrastructure development due to its efficiency, reliability, and advanced features.

the **HZS180 Mixing Plant** offers unmatched performance and reliability, making it an excellent choice for large construction projects that demand high-output, high-quality concrete. Its advanced features, combined with durability and efficiency, ensure that it remains a top choice for contractors seeking a high-capacity mixing solution.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m&sup3;/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600-2000)≤&plusmn;2%	(700-2400)≤&plusmn;2%	(1000-3600)≤&plusmn;2%	(1600-4800)≤&plusmn;2%	(1600-4800)≤&plusmn;2%
Measuring range and precision of cement	(300-1200)≤&plusmn;1%	(300-1200)≤&plusmn;1%	(600-1800)≤&plusmn;1%	(800-2400)≤&plusmn;1%	(800-2400)≤&plusmn;1%
Measuring range and precision of coal ash	(200-600)≤&plusmn;1%	(200-600)≤&plusmn;1%	(300-900)≤&plusmn;1%	(400-1200)≤&plusmn;1%	(400-1200)≤&plusmn;2%
Measuring range and precision of water	200-600)≤&plusmn;1%	(200-600)≤&plusmn;1%	(200-700)≤&plusmn;1%	(360-1200)≤&plusmn;1%	(360-1200)≤&plusmn;1%
Measuring range and precision of admixture	20-60)≤&plusmn;1%	(20-60)≤&plusmn;1%	(30-100)≤&plusmn;1%	(36-120)≤&plusmn;1%	(36-120)≤&plusmn;1%



### Q: What kind of products do you have?

1. Stationary concrete batching plant arranges from HZS25 to HZS180.
2. Mobile concrete batching plant.
3. Concrete mixer machine.
4. Portable drum concrete mixer with diesel engine.
5. Spare parts including screw conveyor and bolted cement silo.

**Q: Are you trading company or manufacturer?**

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

**Q: What are the terms of payment in your formal trade?**

A: Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online .

T/T: 30%T/T prepayment , 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province