

Factory Supply Concrete Mix Station Concrete Batching Plant Hzs50

Basic Information

. Place of Origin: Hunan Brand Name: SUNNY Model Number: HSZ75 . Minimum Order Quantity: 1 set

• Price: USD 110000-150000/ SET

Packaging Details: container 25-30 days · Delivery Time:

Payment Terms: L/C,T/T,D/P,Western Union,MoneyGram

Supply Ability: 20 Set/Sets per Month



Product Specification

Maaterial: Cement, Crushed Stone, Sands And So On

· Application: Building Works, Construction Projects, bridges, docks, airport

Automatic PLC Control,totally Automatic Control System:

• Productivity:

Mixer: JS1500 Twin-shaft Concrete Mixer

• Warranty: 12 Months • Condition:

 After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical

Support, Field Installation, commissioning And

Training

• Highlight: **Bucket Type Concrete Mixing Plant,**

Professional Concrete Mixing Plant, 50M3/H Concrete Mixing Station



More Images



Product Description

Advantages

High Efficiency: The bucket elevator and precise weighing system contribute to high production efficiency and minimal downtime.

Consistency: Advanced control systems and high-quality mixers ensure consistent concrete quality.

Durability: Built with robust materials and components, the HZS50 is designed for long-term operation and minimal maintenance.

Flexibility: It can handle a range of mix designs and is adaptable to various construction requirements.

The HZS50 batching plant is a stationary concrete mixing plant designed for high-efficiency, precision, and productivity. With a capacity of 50 cubic meters of concrete per hour, this plant is typically used for medium to large-scale construction projects, including roads, bridges, buildings, and other infrastructure works.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Q: What kind of products do you have?

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.

Q: Are you trading company or manufacturer?

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

Q: What are the terms of payment in your formal trade?

 $\hbox{A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online} \ . \\$

T/T: 30%T/T prepayment, 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.

Sunny Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276

amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province