Hunan

SUNNY

Boost Your Construction Project with HZS60 Batching Plant Productivity ≤60m3/h and JS1000 Twin-shaft Concrete Mixer

Basic Information

- Place of Origin:
- Brand Name:Model Number:
- Minimum Order Quantity:
- Price:

三力智工

SUNN

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- HSZ60 y: 1 set USD 110000-150000/ SET container 25-30 days L/C,T/T,D/P,Western Union,MoneyGram 20 Set/Sets per Month



Product Specification

- Maaterial:
- Application:
- Control System:
- Productivity:
- Mixer:
- Warranty:
- Condition:
- After-sales Service Provided:
- Highlight:

- Cement, Crushed Stone, Sands And So On Building Works,Construction Projects,bridges,docks,airport Automatic PLC Control,totally Automatic
 - ≤60m3/h
 - JS1000 Twin-shaft Concrete Mixer
 - 12 Months
 - New
 - Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training

Construction Project Batching Plant, HZS60 Batching Plant, JS1000 Twin-shaft Concrete Mixer



More Images



for more products please visit us on sunnyconcretebatchingplant.com

Product Description

The **HZS60 Concrete Batching Plant** is a high-performance, fully automated concrete mixing system designed for medium to large-scale construction projects. With a production capacity of **60 cubic meters per hour**, it ensures efficient and consistent concrete mixing for various applications, including roads, bridges, buildings, and precast concrete production.

The **HZS60 Cement Mixing Plant** is a fully automated concrete batching plant designed for high efficiency and precision in producing various types of concrete. With a **theoretical production capacity of 60 cubic meters per hour**, it is ideal for medium-scale construction projects such as roads, bridges, and buildings.

High Productivity: Equipped with a **JS1000 twin-shaft concrete mixer**, ensuring uniform and efficient mixing. **Accurate Batching System:** Uses a **PLD1600 batching machine** for precise weighing and proportioning of aggregates. **Stable Performance:** Features a **modular design** for easy installation, transportation, and maintenance.

		1			
Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Features of concrete batching plant:

1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition . 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.

4. The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.

5. The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.

6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.

7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water

与三方협工 SUNNY Hunan Sunny Intelligent	t Machinery Co.	LTD.
--	-----------------	------

•+86 19118921276

amy@hnsunny.com.cn

© sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province