

# Stationary Wet Mix Concrete Batching Plant Mixer JS1500 Twin-shaft Concrete Mixer Productivity ≤60m3/h

# **Basic Information**

Place of Origin: Hunan
Brand Name: SUNNY
Model Number: HSZ75
Minimum Order Quantity: 1 set

• Price: USD 110000-150000/ SET

Packaging Details: containerDelivery Time: 25-30 days

Payment Terms:
 L/C, T/T, D/P, Western Union, MoneyGram

Supply Ability: 20 Set/Sets per Month



# **Product Specification**

Maaterial: Cement, Crushed Stone, Sands And So On

Application: Building Works, Construction

Projects bridges dealer signer

Projects, bridges, docks, airport

Control System: Automatic PLC Control,totally Automatic

• Productivity: ≤60m3/h

Mixer: JS1500 Twin-shaft Concrete Mixer

Warranty: 12 MonthsCondition: New

 After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical

Overseas, Online Support, Video Technical Support, Field Installation, commissioning And

Training

• Highlight: Stationary Wet Mix Concrete Batching Plant,

Twin-shaft Concrete Mixer, JS1500 Twin-shaft Concrete Mixer



# **Product Description**

#### **Advantages**

**High Efficiency**: The bucket elevator and precise weighing system contribute to high production efficiency and minimal downtime.

Consistency: Advanced control systems and high-quality mixers ensure consistent concrete quality.

**Durability**: Built with robust materials and components, the HZS50 is designed for long-term operation and minimal maintenance.

Flexibility: It can handle a range of mix designs and is adaptable to various construction requirements.

#### Applications

The HZS50 bucket type batching plant is ideal for medium-sized construction projects, including residential buildings, commercial complexes, roads, and bridges. Its ability to produce high-quality concrete quickly and efficiently makes it a popular choice among construction professionals.

manner rather than by using a mixer.

Name of narometer	HZS60	HZS90	HZS120	HZS180	HZS240
Name of parameter	HZ500	HZ590	HZ5120	HZ5180	П25240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



### Q: What kind of products do you have?

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.

## Q: Are you trading company or manufacturer?

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

# Q: What are the terms of payment in your formal trade?

A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online .

T/T: 30%T/T prepayment , 70% paid by T/T before delivery. L/C: 100% irrevocable L/C at sight.

# 与宣介智工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276

amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province