



## Hzs35 Concrete Mixing System

Our Product Introduction

for more products please visit us on [sunnyconcretebatchingplant.com](http://sunnyconcretebatchingplant.com)

### Basic Information

- Place of Origin: Hunan
- Brand Name: SUNNY
- Model Number: HSZ75
- Minimum Order Quantity: 1 set
- Price: USD 110000-150000/ SET
- Packaging Details: container
- Delivery Time: 25-30 days
- Payment Terms: L/C,T/T,D/P,Western Union,MoneyGram
- Supply Ability: 20 Set/Sets per Month




### Product Specification

- Maaterial: Cement, Crushed Stone, Sands And So On
- Application: Building Works,Construction Projects,bridges,docks,airport
- Control System: Automatic PLC Control,totally Automatic
- Productivity:  $\leq 60\text{m}^3/\text{h}$
- Mixer: JS1500 Twin-shaft Concrete Mixer
- Warranty: 12 Months
- Condition: New
- After-sales Service Provided: Engineers Available To Service Machinery Overseas,Online Support,Video Technical Support,Field Installation,commissioning And Training
- Highlight: **Hzs35 concrete mixing system, bucket type batching plant, concrete mixing plant with warranty**



### More Images



## Product Description

### HZS35 Bucket Type Mixing Plant: A Comprehensive Overview

**HZS35** is a popular type of concrete mixing plant designed for medium-sized construction projects. This plant utilizes a bucket to transport materials to the mixing drum, ensuring efficient and precise mixing.

#### Main Features:

**Compact Design** – The plant has a modular structure for easy installation, relocation, and maintenance.

**Efficient Mixing System** – Equipped with a **JS750 twin-shaft concrete mixer**, ensuring uniform and high-quality mixing.

**Accurate Weighing System** – Utilizes precise weighing systems for aggregates, cement, water, and additives, improving mix consistency.

**Aggregate Batching Machine** – Includes a **PLD1200 batching machine** with separate weighing for multiple aggregates.

The HZS35 concrete batching plant is known for its reliability, ease of operation, and low maintenance requirements. Its compact footprint and efficient design make it a cost-effective solution for projects with limited space and budget.

Whether used for stationary or mobile operations, the HZS35 delivers consistent performance and high-quality concrete output.

#### Applications:

Residential and commercial building construction

Road and bridge infrastructure

Precast concrete component production

Small and medium-sized ready-mix concrete operations

**In conclusion**, the HZS35 bucket type mixing plant is a versatile and efficient solution for medium-sized construction projects. Its reliable performance, accurate batching, and easy maintenance make it a popular choice among contractors and construction companies.

| Name of parameter                          | HZS60          | HZS90          | HZS120          | HZS180          | HZS240          |
|--------------------------------------------|----------------|----------------|-----------------|-----------------|-----------------|
| Theoretical productivity                   | 60 M3/h        | 90 M3/h        | 120 M3/h        | 180 M3/h        | 240m³/h         |
| Model of mixer                             | JS1000         | JS1500         | JS2000          | JS3000          | JS4000          |
| Mixing motor power                         | 2x18.5Kw       | 2x30Kw         | 2x37Kw          | 2x55Kw          | 2*75Kw          |
| Cycle period                               | 60s            | 60s            | 60s             | 60s             | 60s             |
| Volume of mixer                            | 1000L          | 1500L          | 2000L           | 3000L           | 4000L           |
| Unloading height                           | 4.0m           | 4.0m           | 4.0m            | 4.0m            | 4.0m            |
| Measuring range and precision of aggregate | (600-2000)≤±2% | (700-2400)≤±2% | (1000-3600)≤±2% | (1600-4800)≤±2% | (1600-4800)≤±2% |
| Measuring range and precision of cement    | (300-1200)≤±1% | (300-1200)≤±1% | 600-1800)≤±1%   | (800-2400)≤±1%  | (800-2400)≤±1%  |
| Measuring range and precision of coal ash  | (200-600)≤±1%  | (200-600)≤±1%  | (300-900)≤±1%   | (400-1200)≤±1%  | (400-1200)≤±2%  |
| Measuring range and precision of water     | 200-600)≤±1%   | (200-600)≤±1%  | (200-700)≤±1%   | (360-1200)≤±1%  | (360-1200)≤±1%  |
| Measuring range and precision of admixture | 20-60)≤±1%     | (20-60)≤±1%    | (30-100)≤±1%    | (36-120)≤±1%    | (36-120)≤±1%    |



**Features of concrete batching plant:**

**Capacity:** The HZS75 model is designed to handle a substantial volume of concrete production. With a capacity to produce 75 cubic meters of concrete per hour, it is well-suited for medium-sized construction projects that require a consistent supply of concrete.

**Precise Measurement:** The use of individual buckets for ingredient measurement ensures accurate proportions of cement, aggregate, water, and additives. This precise measurement system guarantees the production of high-quality concrete with consistent strength and durability.

**Customization:** The HZS75 plant can be easily customized to meet specific project requirements. It allows adjustments in the bucket capacity, ingredient quantities, and overall plant layout. This flexibility enables the plant to be tailored to the unique needs of medium-sized construction projects.

**Q: What kind of products do you have?**

1. Stationary concrete batching plant ranges from HZS25 to HZS180.
2. Mobile concrete batching plant.
3. Concrete mixer machine.
4. Portable drum concrete mixer with diesel engine.
5. Spare parts including screw conveyor and bolted cement silo.

**Q: Are you trading company or manufacturer?**

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

**Q: What are the terms of payment in your formal trade?**

A: Normally we can work on T/T term, L/C term and Alibaba Trade Assurance Order Online.

T/T: 30% T/T prepayment, 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.

**Q: What's your after-sale service?**

A: 12 months warranty for main parts since departure. On-site installation, debugging, workers training. Make sure that your workers operate properly and know daily maintenance well. Q: What's your delivery time?

A: The goods will be delivered in 30-45 days after the 30% of the total amount is paid as deposit, and maybe a little longer if busy in the factory.

B: Generally it is 7-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

**Q: How long do you warranty your concrete batching plant?**

A: We shall guarantee that the commodity for 1 year, excluding the wearing parts, and we will offer our customers the wearing parts all the time with favorable price.

**Q: What should I do if I experience a problem on our equipment?**

A: You could email us the photos to show what happens or call us, and our service line is available 24/7, and then we will feedback you immediately. Also on-site technician service available as request.

**Q: How can we install the plant?**

A: Our engineer will make installation drawing before we send the machine, and our engineer will go overseas to guide and train the installation after everything is already set in customer's construction site.

**Q: Do you have CE certificate for your concrete batching plant?**

A: Yes, we have. It is our patent products, certificated by CE.



**Hunan Sunny Intelligent Machinery Co.,LTD.**



+86 19118921276



amy@hnsunny.com.cn



sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province