

New Hzs90 HZS60m3/h 120m3 Hzs180 Small Portable Concrete Batching Plant **For Sale**

Basic Information

. Place of Origin: Hunan Brand Name: SUNNY HSZ90 Model Number: Minimum Order Quantity:

• Price: USD 110000-150000/ SET

Packaging Details: container 25-30 days . Delivery Time:

• Payment Terms: L/C, T/T, D/P, Western Union, MoneyGram

Supply Ability: 20 Set/Sets per Month



Product Specification

• Maaterial: Cement, Crushed Stone, Sands And So On

· Application: Building Works, Construction Projects, bridges, docks, airport

Automatic PLC Control,totally Automatic Control System:

• Productivity:

Mixer: JS1500 Twin-shaft Concrete Mixer

• Warranty: 12 Months • Condition:

 After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical

Support, Field Installation, commissioning And

Training

• Highlight: 120m3 concrete batching plant,

small portable concrete batching plant, **Concrete Batching Plant For Sale**



More Images





Product Description

Ready Mix Concrete Batching Plant 90m3 /H Precast Concrete Plant Equipment HZS90 Manufacturer Concrete Batch Plant concrete batching plant

The HZS90 Concrete Batching Plant is a highly efficient and versatile solution for large-scale concrete production, ideal for infrastructure projects, commercial construction, and various civil engineering applications. With a production capacity of 90 cubic meters per hour, this plant is designed to meet the demands of high-performance concrete mixing. Featuring advanced technology such as a twin-shaft mixer, precise weighing systems, and a user-friendly control interface, the HZS90 ensures consistent quality and efficiency in every batch. Its modular design allows for easy installation and adaptability to different site requirements, making it a reliable choice for contractors seeking to optimize their concrete production processes.

Name of parameter	HZS60	HZS90	HZS120	HZS180	HZS240
Theoretical productivity	60 M3/h	90 M3/h	120 M3/h	180 M3/h	240m³/h
Model of mixer	JS1000	JS1500	JS2000	JS3000	JS4000
Mixing motor power	2x18.5Kw	2x30Kw	2x37Kw	2x55Kw	2*75Kw
Cycle period	60s	60s	60s	60s	60s
Volume of mixer	1000L	1500L	2000L	3000L	4000L
Unloading height	4.0m	4.0m	4.0m	4.0m	4.0m
Measuring range and precision of aggregate	(600- 2000)≤±2%	(700-2400)≤±2%	(1000- 3600)≤±2%	(1600- 4800)≤±2%	(1600- 4800)≤±2%
Measuring range and precision of cement	(300- 1200)≤±1%	(300-1200)≤±1%	600- 1800)≤±1%	(800- 2400)≤±1%	(800- 2400)≤±1%
Measuring range and precision of coal ash	(200- 600)≤±1%	(200-600)≤±1%	(300- 900)≤±1%	(400- 1200)≤±1%	(400- 1200)≤±2%
Measuring range and precision of water	200-600)≤±1%	(200-600)≤±1%	(200- 700)≤±1%	(360- 1200)≤±1%	(360- 1200)≤±1%
Measuring range and precision of admixture	20-60)≤±1%	(20-60)≤±1%	(30-100)≤±1%	(36-120)≤±1%	(36-120)≤±1%



Features of concrete batching plant:

- 1.It adopts combined structure and unitized module, which is short, quick and very convenient for installation and demolition .
- 2.Increase the unloading angle of the aggregate bin to solve the problem of unloading difficulties caused by rain
- 3.It is convenient and quick to use the cylinder discharge or electric push rod to discharge.
- 4. The overall steel structure of the mixing station is made of high-quality steel, which has high overall structural strength and strong stability.
- 5. The mixing machine adopts the twin-shaft forced mixing main machine, which has strong mixing performance, uniform mixing and high productivity.
- 6.Excellent pneumatic components, electrical components, etc.; to ensure the reliability of the equipment, accurate metering performance.
- 7.Each maintenance and repair site is provided with a walking platform or a check ladder, and has sufficient operation space. Easy maintenance and repair 8.Environmental protection and energy saving, using pulse dust removal, recycling waste-water for reuse

- 1. Stationary concrete batching plant arranges from HZS25 to HZS180.
- 2. Mobile concrete batching plant.
- 3. Concrete mixer machine.
- 4. Portable drum concrete mixer with diesel engine.
- 5. Spare parts including screw conveyor and bolted cement silo.

Q: Are you trading company or manufacturer?

A: We are manufacturer. We can design and manufacturer products with our patent. Welcome to visit us to check it!

Q: What are the terms of payment in your formal trade?

A:Normally we can work on T/T term ,L/C term and Alibaba Trade Assurance Order Online . T/T: 30%T/T prepayment , 70% paid by T/T before delivery.

L/C: 100% irrevocable L/C at sight.

ラミカ智工 Hunan Sunny Intelligent Machinery Co.,LTD.

+86 19118921276

amy@hnsunny.com.cn

sunnyconcretebatchingplant.com

Construction Machinery Supporting Industrial Park, High-tech Zone, Ningxiang City, Hunan Province